

**Ackerman, Joyce**

---

**From:** Dave Folkes <DFolkes@Geosyntec.com>  
**Sent:** Tuesday, November 14, 2017 4:02 PM  
**To:** Ackerman, Joyce  
**Subject:** RE: Additional EM survey and test pitting

Joyce, the contractor is asking if they can work 14 days on 1 day off – seems like you have a say in this!

Dave

---

**From:** Ackerman, Joyce [mailto:Ackerman.Joyce@epa.gov]  
**Sent:** Tuesday, November 14, 2017 3:22 PM  
**To:** Dave Folkes <DFolkes@Geosyntec.com>; Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>  
**Cc:** Richard Dean <rdean@stratuscompanies.com>; Steeler Jon <JSteeler@sennlaw.com>; Thomas J. Krasovec <TJKrasovec@Geosyntec.com>; Dave Stewart <Dave.Stewart@stewartenv.com>; Piggott, Amelia <Piggott.Amelia@epa.gov>; Fronczak, David <Fronczak.David@epa.gov>  
**Subject:** RE: Additional EM survey and test pitting

Hi Dave – Here's the language from a recent draft of the AOC:

Respondent shall retain one or more contractors or subcontractors to perform the Work and shall notify EPA of the names, titles, addresses, telephone numbers, email addresses, and qualifications of such contractors or subcontractors within 7 days after the Effective Date. Respondent shall also notify EPA of the names, titles, contact information, and qualifications of any other contractors or subcontractors retained to perform the Work at least 7 days prior to commencement of such Work. EPA retains the right to disapprove of any or all of the contractors and/or subcontractors retained by Respondent. If EPA disapproves of a selected contractor or subcontractor, Respondent shall retain a different contractor or subcontractor and shall notify EPA of that contractor's or subcontractor's name, title, contact information, and qualifications within 7 days after EPA's disapproval. With respect to any proposed contractor, Respondent shall demonstrate that the proposed contractor demonstrates compliance with ASQ/ANSI E4:2014 "Quality management systems for environmental information and technology programs – Requirements with guidance for use" (American Society for Quality, February 2014), by submitting a copy of the proposed contractor's Quality Management Plan (QMP). The QMP should be prepared in accordance with "EPA Requirements for Quality Management Plans (QA/R-2)" (EPA/240/B-01/002, Reissued May 2006) or equivalent documentation as determined by EPA. The qualifications of the persons undertaking the Work for Respondent shall be subject to EPA's review for verification based on objective assessment criteria (e.g., experience, capacity, technical expertise) and that they do not have a conflict of interest with respect to the project.

Within 7 days after the Effective Date, Respondent shall designate a Project Coordinator who shall be responsible for administration of all actions by Respondent required by this Settlement and shall submit to EPA the designated Project Coordinator's name, title, address, telephone number, email address, and qualifications. To the greatest extent possible, the Project Coordinator shall be present on Site or readily available during Site work. EPA retains the right to disapprove of the designated Project Coordinator who does not meet the requirements of Paragraph 22. If EPA disapproves of the designated Project Coordinator, Respondent shall retain a different Project Coordinator and shall notify EPA of that person's name, title, contact information, and qualifications within 7 days following EPA's disapproval. Notice or communication relating to this Settlement from EPA to Respondent's Project Coordinator shall constitute notice or communication to all Respondent.

Thank you!

Joyce Ackerman  
On-Scene Coordinator and START P.O.  
U.S. EPA Region 8

1595 Wynkoop Street  
Denver, CO 80202  
(303) 312-6822

---

**From:** Dave Folkes [<mailto:DFolkes@Geosyntec.com>]  
**Sent:** Tuesday, November 14, 2017 3:10 PM  
**To:** Ackerman, Joyce <[Ackerman.Joyce@epa.gov](mailto:Ackerman.Joyce@epa.gov)>; Stovall - CDPHE, Curtis <[curtis.stovall@state.co.us](mailto:curtis.stovall@state.co.us)>  
**Cc:** Richard Dean <[rdean@stratuscompanies.com](mailto:rdean@stratuscompanies.com)>; Steeler Jon <[JSteeler@sennlaw.com](mailto:JSteeler@sennlaw.com)>; Thomas J. Krasovec <[TJKrasovec@Geosyntec.com](mailto:TJKrasovec@Geosyntec.com)>; Dave Stewart <[Dave.Stewart@stewartenv.com](mailto:Dave.Stewart@stewartenv.com)>; Piggott, Amelia <[Piggott.Amelia@epa.gov](mailto:Piggott.Amelia@epa.gov)>; Fronczak, David <[Fronczak.David@epa.gov](mailto:Fronczak.David@epa.gov)>  
**Subject:** RE: Additional EM survey and test pitting

Thank you, Joyce – does identification of contractors and subs in the workplan work for you and fulfill the notification requirement?

Dave

---

**From:** Ackerman, Joyce [<mailto:Ackerman.Joyce@epa.gov>]  
**Sent:** Tuesday, November 14, 2017 3:01 PM  
**To:** Dave Folkes <[DFolkes@Geosyntec.com](mailto:DFolkes@Geosyntec.com)>; Stovall - CDPHE, Curtis <[curtis.stovall@state.co.us](mailto:curtis.stovall@state.co.us)>  
**Cc:** Richard Dean <[rdean@stratuscompanies.com](mailto:rdean@stratuscompanies.com)>; Steeler Jon <[JSteeler@sennlaw.com](mailto:JSteeler@sennlaw.com)>; Thomas J. Krasovec <[TJKrasovec@Geosyntec.com](mailto:TJKrasovec@Geosyntec.com)>; Dave Stewart <[Dave.Stewart@stewartenv.com](mailto:Dave.Stewart@stewartenv.com)>; Piggott, Amelia <[Piggott.Amelia@epa.gov](mailto:Piggott.Amelia@epa.gov)>; Fronczak, David <[Fronczak.David@epa.gov](mailto:Fronczak.David@epa.gov)>  
**Subject:** RE: Additional EM survey and test pitting

Hi Dave – Thank you very much for expediting the work plan. When the AOC is signed, one requirement (Section VII) is identifying the contractors and subcontractors proposed for the work. So far, I know of Geosyntec, ACTenviro, and National GPR. If there are other contractors or subcontractors, including laboratories, proposed for the work, please let us know. Thank you!

Joyce Ackerman  
On-Scene Coordinator and START P.O.  
U.S. EPA Region 8  
1595 Wynkoop Street  
Denver, CO 80202  
(303) 312-6822

---

**From:** Dave Folkes [<mailto:DFolkes@Geosyntec.com>]  
**Sent:** Monday, November 13, 2017 11:19 AM  
**To:** Ackerman, Joyce <[Ackerman.Joyce@epa.gov](mailto:Ackerman.Joyce@epa.gov)>; Stovall - CDPHE, Curtis <[curtis.stovall@state.co.us](mailto:curtis.stovall@state.co.us)>  
**Cc:** Richard Dean <[rdean@stratuscompanies.com](mailto:rdean@stratuscompanies.com)>; Steeler Jon <[JSteeler@sennlaw.com](mailto:JSteeler@sennlaw.com)>; Thomas J. Krasovec <[TJKrasovec@Geosyntec.com](mailto:TJKrasovec@Geosyntec.com)>; Dave Stewart <[Dave.Stewart@stewartenv.com](mailto:Dave.Stewart@stewartenv.com)>  
**Subject:** Additional EM survey and test pitting

Dear Joyce and Curt,

I wanted to let you know in advance that we plan to include the additional EM survey and test pitting work at the Neuhauser Landfill site in the drum removal work plan.

The survey is currently scheduled for November 29, the earliest date that National GPR is available. Ideally, work on the drum removal will also have started by that date.

We hope you both can observe the EM survey real time and help decide on test pit locations.

Let me know if you have any questions or concerns, otherwise we look forward to your comments on the work plan, which we anticipate submitting by the 15<sup>th</sup>.

Best regards, Dave

**David J. Folkes, P.E. (CO)**

*Senior Principal*

**Geosyntec Consultants**

---

5670 Greenwood Plaza Blvd.

Suite 540

Greenwood Village, CO 80111

Phone: 303.790.1340

Cell: 720.560.1707

[www.geosyntec.com](http://www.geosyntec.com)

[Sign up to receive vapor intrusion news](#)

Please click [here](#) for more information about Geosyntec's Vapor Intrusion services.

This electronic mail message contains information that (a) is or may be LEGALLY PRIVILEGED, CONFIDENTIAL, PROPRIETARY IN NATURE, OR OTHERWISE PROTECTED BY LAW FROM DISCLOSURE, and (b) is intended only for the use of the Addressee(s) named herein. If you are not the intended recipient, an addressee, or the person responsible for delivering this to an addressee, you are hereby notified that reading, using, copying, or distributing any part of this message is strictly prohibited. If you have received this electronic mail message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system.

## Ackerman, Joyce

---

**From:** Ackerman, Joyce  
**Sent:** Tuesday, November 14, 2017 3:22 PM  
**To:** Dave Folkes; Stovall - CDPHE, Curtis  
**Cc:** Richard Dean; Steeler Jon; Thomas J. Krasovec; Dave Stewart; Piggott, Amelia; Fronczak, David  
**Subject:** RE: Additional EM survey and test pitting

Hi Dave – Here's the language from a recent draft of the AOC:

Respondent shall retain one or more contractors or subcontractors to perform the Work and shall notify EPA of the names, titles, addresses, telephone numbers, email addresses, and qualifications of such contractors or subcontractors within 7 days after the Effective Date. Respondent shall also notify EPA of the names, titles, contact information, and qualifications of any other contractors or subcontractors retained to perform the Work at least 7 days prior to commencement of such Work. EPA retains the right to disapprove of any or all of the contractors and/or subcontractors retained by Respondent. If EPA disapproves of a selected contractor or subcontractor, Respondent shall retain a different contractor or subcontractor and shall notify EPA of that contractor's or subcontractor's name, title, contact information, and qualifications within 7 days after EPA's disapproval. With respect to any proposed contractor, Respondent shall demonstrate that the proposed contractor demonstrates compliance with ASQ/ANSI E4:2014 "Quality management systems for environmental information and technology programs – Requirements with guidance for use" (American Society for Quality, February 2014), by submitting a copy of the proposed contractor's Quality Management Plan (QMP). The QMP should be prepared in accordance with "EPA Requirements for Quality Management Plans (QA/R-2)" (EPA/240/B-01/002, Reissued May 2006) or equivalent documentation as determined by EPA. The qualifications of the persons undertaking the Work for Respondent shall be subject to EPA's review for verification based on objective assessment criteria (e.g., experience, capacity, technical expertise) and that they do not have a conflict of interest with respect to the project.

Within 7 days after the Effective Date, Respondent shall designate a Project Coordinator who shall be responsible for administration of all actions by Respondent required by this Settlement and shall submit to EPA the designated Project Coordinator's name, title, address, telephone number, email address, and qualifications. To the greatest extent possible, the Project Coordinator shall be present on Site or readily available during Site work. EPA retains the right to disapprove of the designated Project Coordinator who does not meet the requirements of Paragraph 22. If EPA disapproves of the designated Project Coordinator, Respondent shall retain a different Project Coordinator and shall notify EPA of that person's name, title, contact information, and qualifications within 7 days following EPA's disapproval. Notice or communication relating to this Settlement from EPA to Respondent's Project Coordinator shall constitute notice or communication to all Respondent.

Thank you!

Joyce Ackerman  
On-Scene Coordinator and START P.O.  
U.S. EPA Region 8  
1595 Wynkoop Street  
Denver, CO 80202  
(303) 312-6822

---

**From:** Dave Folkes [mailto:DFolkes@Geosyntec.com]  
**Sent:** Tuesday, November 14, 2017 3:10 PM

**To:** Ackerman, Joyce <Ackerman.Joyce@epa.gov>; Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>  
**Cc:** Richard Dean <rdean@stratuscompanies.com>; Steeler Jon <JSteeler@sennlaw.com>; Thomas J. Krasovec <TJKrasovec@Geosyntec.com>; Dave Stewart <Dave.Stewart@stewartenv.com>; Piggott, Amelia <Piggott.Amelia@epa.gov>; Fronczak, David <Fronczak.David@epa.gov>  
**Subject:** RE: Additional EM survey and test pitting

Thank you, Joyce – does identification of contractors and subs in the workplan work for you and fulfill the notification requirement?

Dave

---

**From:** Ackerman, Joyce [mailto:Ackerman.Joyce@epa.gov]  
**Sent:** Tuesday, November 14, 2017 3:01 PM  
**To:** Dave Folkes <DFolkes@Geosyntec.com>; Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>  
**Cc:** Richard Dean <rdean@stratuscompanies.com>; Steeler Jon <JSteeler@sennlaw.com>; Thomas J. Krasovec <TJKrasovec@Geosyntec.com>; Dave Stewart <Dave.Stewart@stewartenv.com>; Piggott, Amelia <Piggott.Amelia@epa.gov>; Fronczak, David <Fronczak.David@epa.gov>  
**Subject:** RE: Additional EM survey and test pitting

Hi Dave – Thank you very much for expediting the work plan. When the AOC is signed, one requirement (Section VII) is identifying the contractors and subcontractors proposed for the work. So far, I know of Geosyntec, ACTenviro, and National GPR. If there are other contractors or subcontractors, including laboratories, proposed for the work, please let us know. Thank you!

Joyce Ackerman  
On-Scene Coordinator and START P.O.  
U.S. EPA Region 8  
1595 Wynkoop Street  
Denver, CO 80202  
(303) 312-6822

---

**From:** Dave Folkes [mailto:DFolkes@Geosyntec.com]  
**Sent:** Monday, November 13, 2017 11:19 AM  
**To:** Ackerman, Joyce <Ackerman.Joyce@epa.gov>; Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>  
**Cc:** Richard Dean <rdean@stratuscompanies.com>; Steeler Jon <JSteeler@sennlaw.com>; Thomas J. Krasovec <TJKrasovec@Geosyntec.com>; Dave Stewart <Dave.Stewart@stewartenv.com>  
**Subject:** Additional EM survey and test pitting

Dear Joyce and Curt,

I wanted to let you know in advance that we plan to include the additional EM survey and test pitting work at the Neuhauser Landfill site in the drum removal work plan.

The survey is currently scheduled for November 29, the earliest date that National GPR is available. Ideally, work on the drum removal will also have started by that date.

We hope you both can observe the EM survey real time and help decide on test pit locations.

Let me know if you have any questions or concerns, otherwise we look forward to your comments on the work plan, which we anticipate submitting by the 15<sup>th</sup>.

Best regards, Dave

**David J. Folkes, P.E. (CO)**  
*Senior Principal*  
**Geosyntec Consultants**

---

5670 Greenwood Plaza Blvd.  
Suite 540  
Greenwood Village, CO 80111  
Phone: 303.790.1340  
Cell: 720.560.1707  
[www.geosyntec.com](http://www.geosyntec.com)

[Sign up to receive vapor intrusion news](#)

Please click [here](#) for more information about Geosyntec's Vapor Intrusion services.

This electronic mail message contains information that (a) is or may be LEGALLY PRIVILEGED, CONFIDENTIAL, PROPRIETARY IN NATURE, OR OTHERWISE PROTECTED BY LAW FROM DISCLOSURE, and (b) is intended only for the use of the Addressee(s) named herein. If you are not the intended recipient, an addressee, or the person responsible for delivering this to an addressee, you are hereby notified that reading, using, copying, or distributing any part of this message is strictly prohibited. If you have received this electronic mail message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system.

## Ackerman, Joyce

---

**From:** Dave Folkes <DFolkes@Geosyntec.com>  
**Sent:** Tuesday, November 14, 2017 3:10 PM  
**To:** Ackerman, Joyce; Stovall - CDPHE, Curtis  
**Cc:** Richard Dean; Steeler Jon; Thomas J. Krasovec; Dave Stewart; Piggott, Amelia; Fronczak, David  
**Subject:** RE: Additional EM survey and test pitting

Thank you, Joyce – does identification of contractors and subs in the workplan work for you and fulfill the notification requirement?

Dave

---

**From:** Ackerman, Joyce [mailto:Ackerman.Joyce@epa.gov]  
**Sent:** Tuesday, November 14, 2017 3:01 PM  
**To:** Dave Folkes <DFolkes@Geosyntec.com>; Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>  
**Cc:** Richard Dean <rdean@stratuscompanies.com>; Steeler Jon <JSteeler@sennlaw.com>; Thomas J. Krasovec <TJKrasovec@Geosyntec.com>; Dave Stewart <Dave.Stewart@stewartenv.com>; Piggott, Amelia <Piggott.Amelia@epa.gov>; Fronczak, David <Fronczak.David@epa.gov>  
**Subject:** RE: Additional EM survey and test pitting

Hi Dave – Thank you very much for expediting the work plan. When the AOC is signed, one requirement (Section VII) is identifying the contractors and subcontractors proposed for the work. So far, I know of Geosyntec, ACTenviro, and National GPR. If there are other contractors or subcontractors, including laboratories, proposed for the work, please let us know. Thank you!

Joyce Ackerman  
On-Scene Coordinator and START P.O.  
U.S. EPA Region 8  
1595 Wynkoop Street  
Denver, CO 80202  
(303) 312-6822

---

**From:** Dave Folkes [mailto:DFolkes@Geosyntec.com]  
**Sent:** Monday, November 13, 2017 11:19 AM  
**To:** Ackerman, Joyce <Ackerman.Joyce@epa.gov>; Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>  
**Cc:** Richard Dean <rdean@stratuscompanies.com>; Steeler Jon <JSteeler@sennlaw.com>; Thomas J. Krasovec <TJKrasovec@Geosyntec.com>; Dave Stewart <Dave.Stewart@stewartenv.com>  
**Subject:** Additional EM survey and test pitting

Dear Joyce and Curt,

I wanted to let you know in advance that we plan to include the additional EM survey and test pitting work at the Neuhauser Landfill site in the drum removal work plan.

The survey is currently scheduled for November 29, the earliest date that National GPR is available. Ideally, work on the drum removal will also have started by that date.

We hope you both can observe the EM survey real time and help decide on test pit locations.

Let me know if you have any questions or concerns, otherwise we look forward to your comments on the work plan, which we anticipate submitting by the 15<sup>th</sup>.

Best regards, Dave

**David J. Folkes, P.E. (CO)**

*Senior Principal*

**Geosyntec Consultants**

---

5670 Greenwood Plaza Blvd.

Suite 540

Greenwood Village, CO 80111

Phone: 303.790.1340

Cell: 720.560.1707

[www.geosyntec.com](http://www.geosyntec.com)

[Sign up to receive vapor intrusion news](#)

Please click [here](#) for more information about Geosyntec's Vapor Intrusion services.

This electronic mail message contains information that (a) is or may be LEGALLY PRIVILEGED, CONFIDENTIAL, PROPRIETARY IN NATURE, OR OTHERWISE PROTECTED BY LAW FROM DISCLOSURE, and (b) is intended only for the use of the Addressee(s) named herein. If you are not the intended recipient, an addressee, or the person responsible for delivering this to an addressee, you are hereby notified that reading, using, copying, or distributing any part of this message is strictly prohibited. If you have received this electronic mail message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system.



## Ackerman, Joyce

---

**From:** Ackerman, Joyce  
**Sent:** Tuesday, November 14, 2017 3:01 PM  
**To:** Dave Folkes; Stovall - CDPHE, Curtis  
**Cc:** Richard Dean; Steeler Jon; Thomas J. Krasovec; Dave Stewart; Piggott, Amelia; Fronczak, David  
**Subject:** RE: Additional EM survey and test pitting

Hi Dave – Thank you very much for expediting the work plan. When the AOC is signed, one requirement (Section VII) is identifying the contractors and subcontractors proposed for the work. So far, I know of Geosyntec, ACTenviro, and National GPR. If there are other contractors or subcontractors, including laboratories, proposed for the work, please let us know. Thank you!

Joyce Ackerman  
On-Scene Coordinator and START P.O.  
U.S. EPA Region 8  
1595 Wynkoop Street  
Denver, CO 80202  
(303) 312-6822

---

**From:** Dave Folkes [mailto:DFolkes@Geosyntec.com]  
**Sent:** Monday, November 13, 2017 11:19 AM  
**To:** Ackerman, Joyce <Ackerman.Joyce@epa.gov>; Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>  
**Cc:** Richard Dean <rdean@stratuscompanies.com>; Steeler Jon <JSteeler@sennlaw.com>; Thomas J. Krasovec <TJKrasovec@Geosyntec.com>; Dave Stewart <Dave.Stewart@stewartenv.com>  
**Subject:** Additional EM survey and test pitting

Dear Joyce and Curt,

I wanted to let you know in advance that we plan to include the additional EM survey and test pitting work at the Neuhauser Landfill site in the drum removal work plan.

The survey is currently scheduled for November 29, the earliest date that National GPR is available. Ideally, work on the drum removal will also have started by that date.

We hope you both can observe the EM survey real time and help decide on test pit locations.

Let me know if you have any questions or concerns, otherwise we look forward to your comments on the work plan, which we anticipate submitting by the 15<sup>th</sup>.

Best regards, Dave

**David J. Folkes, P.E. (CO)**  
*Senior Principal*  
**Geosyntec Consultants**

---

5670 Greenwood Plaza Blvd.  
Suite 540  
Greenwood Village, CO 80111

Phone: 303.790.1340  
Cell: 720.560.1707  
[www.geosyntec.com](http://www.geosyntec.com)

[Sign up to receive vapor intrusion news](#)

Please click [here](#) for more information about Geosyntec's Vapor Intrusion services.

This electronic mail message contains information that (a) is or may be LEGALLY PRIVILEGED, CONFIDENTIAL, PROPRIETARY IN NATURE, OR OTHERWISE PROTECTED BY LAW FROM DISCLOSURE, and (b) is intended only for the use of the Addressee(s) named herein. If you are not the intended recipient, an addressee, or the person responsible for delivering this to an addressee, you are hereby notified that reading, using, copying, or distributing any part of this message is strictly prohibited. If you have received this electronic mail message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system.